

INDEX MAPS.

T. 14N R. 2W 2nd Mer.

	53	53	53	52	52	52						
55	6	82	5	75	4	71	3	65	2	60	1	51
	81		81		75		70		65		60	
55	7	80	8	75	9	70	10	65	11	60	12	51
	80		80		74		69		64		59	
55	18	79	17	73	16	69	15	64	14	59	13	51
	79		78		73		68		63		58	
54	19	78	20	73	21	67	22	63	23	58	24	50
	78		77		72		67		62		57	
54	30	77	29	72	28	67	27	62	26	57	25	50
	77		76		72		66		61		56	
54	31	76	32	71	33	66	34	61	35	56	36	50
	48		47 - 48		47 - 48		47 - 49		47 - 49		47 - 49	

T. 15N R. 2W 2nd Mer.

	88		88		87		87		87		87	
90	6	114	5	108	4	104	3	99	2	95	1	86
	114		113		108		103		99		94	
90	7	113	8	107	9	103	10	98	11	94	12	86
	113		112		107		102		98		93	
89	18	112	17	106	16	102	15	98	14	93	13	86
	112		111		106		102		97		93	
89	19	111	20	106	21	101	22	97	23	92	24	85
	111		110		105		101		96		92	
89	30	109	29	105	28	100	27	96	26	91	25	85
	109		109		104		100		95		91	
88	31	108	32	104	33	100	34	95	35	91	36	85
	84		84		84		83		83		83	

The figures on the lines refer to the page.

Township N. 14. North of Range N. 2 West 4th 2nd Mer. Line

Ch. Lks.	South Boundary	A 75
West	On a Random line On the South Boundary of Sec. 36. T. N. 14. N. R. N. 2 W.	
19.00	To a Brook 50 links wide; Course South.	
40.00	Set a temporary post for the cor. to $\frac{1}{4}$ Sec.	
80.00	Set a temporary post for the cor. to Sec. 35 & 36. T. N. 14. N. R. N. 2 W. Land level and wet; Timber Beech Hickory Elm & Maple	
West	On a Random line. On the South Boundary of Sec. 35 T. N. 14. N. R. N. 2 W.	
40.00	Set a temporary post for the cor. to $\frac{1}{4}$ Sec.	
80.00	Set a temporary post for the cor. to Sec. 34 & 35. T. N. 14. N. R. N. 2 W. Land level and part good for farming Timber Oak, R. Ash, Sugar Ash &c	
West	On a Random line On the South Boundary of Sec. 34. T. N. 14. N. R. N. 2 W.	
40.00	Set a temporary post for the cor. to $\frac{1}{4}$ Sec.	
80.00	" " " " " " " & Sec. 33 & 34 Land and good farming land; Timber same	
West	On a Random line on the South Boundary of Sec. 33. T. N. 14. N. R. N. 2 W.	
40.00	Set a temporary post for the cor. to $\frac{1}{4}$ Sec.	
44.00	To a Creek 20 links wide; Course S. W.	
80.00	Set a temporary post for the cor. to Sec. 32 & 33. Land East $\frac{1}{2}$ same as the last mile; West $\frac{1}{2}$ level & wet	
West	On a Random line on the South Boundary of Sec. 32 T. N. 14. N. R. N. 2 W.	
21.00	To a Creek 70 links wide, Course S. W.	
40.00	Set a temporary post for the cor. to $\frac{1}{4}$ Sec.	

T. N^o 14. N.R. N^o 2 West 2nd Mer. Ind.

80.00 Set a temp^y post for the cor. of sec^s 31 & 32.
West^{ly} Good farming land; East^{ly} overflows
part rich.

West On a Random line On the South Boundary of sec. 31. T.
N^o 14 N.R. N^o 2 W.

40.00 Set a temp^y post for the cor. to $\frac{1}{4}$ sec.

66.50 To a Creek 15 links wide; Course S.E.

75.00 Intersect the N & S Range line 69 links North of the
Temp^y Turn Cor. Land rich and good for farming

East On the true line On the South Boundary of sec. 31. T.
N^o 14. N.R. N^o 2 W. June 25th 1819 R. 102

35.00 Set the temp^y post on the true line for the cor. to $\frac{1}{4}$ sec.
from which a Buck 18 in. dia^r bears S 89 W. 10 links dist
and a Sugar 18 " " " N 28 W. 39 " "

75.00 Set a post temp^y on the true line for the cor. of sec^s 31 & 32
T. N^o 14. N.R. N^o 2 W. from which a
W. Ash 24 in. dia^r bears N 64 W. 42 links dist; and a
W. Oak 10 " " " S 64 E. 31 " "

East On a true line on the South Boundary of sec^s 32. T. N^o
14 N.R. N^o 2 W.

40.00 Set the temp^y post in the true line for the cor. to $\frac{1}{4}$ sec. from
which a Hick^y 18 in. dia^r bears S 36 E. 5 links dist;
and a Buck 8 " " " N 49 E. 12 " "

80.00 Set the temp^y post on the true line for cor. to sec^s 32 & 33
from which a W. Oak 12 in. dia^r bears N 33 W. 15 links dist
and a Maple 10 " " " S 83 E. 34 " "

East On the true line on the South Boundary of sec. 33. T. N^o
14. N.R. N^o 2 W.

40.00 Set the temp^y post on the true line for the cor. to $\frac{1}{4}$ sec

T. N^o 14. N.R. N^o 27. 2nd Mer. (Ind.);

49

80.00 From which a Sugar 9 in. dia: bears S127.8 links dish
and a Sugar 12 " " " N257.25 " "
Set the temp. post on the true line for the cor. to Sec.
33 & 34 T. N^o 14. N.R. N^o 27. From which a
Buck 36 in. dia: bears N867.35 links dish; and
Sugar 18 " " " N78 E. 24 " "

East On a true line on the South Boundary of sec. 34. T. N^o 14
N.R. N^o 27 West.

40.00 Set the temp. post on the true line for the cor. to 1/4 sec. from
which a N. Oak 27 in. dia: bears S257.42 links dish
and a Buck 18 " " " N80 E. 35 " "

80.00 Set the temp. post on the true line for the cor. to Sec.
34 & 35. T. N^o 14. N.R. N^o 27. From which a
Buck 14 in. dia: bears S47 E. 3 links dish; and a
Kick 12 " " " N667.9 " "

East On a true line on the South Boundary of sec. 35. T. N^o
14. N.R. N^o 27

40.00 Set the temp. post on the true line for the cor. to 1/4 sec.
from which a Buck 10 in. dia: bears N537.8 links dish
and a Buck 9 in. " " " S14 E. 15 " "

80.00 Set the temp. post on the true line for the cor. to 1/4 sec.
35 & 36. T. N^o 14. N.R. N^o 27. From which a
Sugar 5 in. dia: bears N837.14 links dish; and a
Elm 12 " " " N64 E. 12 " "

East On the true line on the South Boundary of sec. 36. T. N^o
14. N.R. N^o 27.

40.00 Set the temp. post on the true line for cor. to 1/4 sec. from
which a Buck 18 in. dia: bears S67 E. 6 links dish;
and an N. Oak 24 " " " S487.3 " "

80.00 Set the temp. post on the true line for the cor. to Sec.

T. N. 14. N. R. N. 2 W. 2nd Mer. Ind.^o

1.6. 31. & 36. Towns. 13. 13. & 14. 14. N. R. 1. & 2. W.
 from which a Buck 30 in. dia. bears S 27 E. 13 1/2 m. dist
 and a Do 24 " " N 29 W. 45 " "

East Boundary var. 6° 15' & 109

North On the East Boundary of Sec. 36. T. N. 14. N. R. 2 W.
 27.00 To a Brook 30 links wide; Course S W.
 40.00 Set a post for the cor. to 1/4 Sec. from which a
 Hickory 20 in. dia. bears N 87 W. 13 links dist; and a
 Buck 10 " " " S 71 E. 18 " "
 80.00 Set a post for the cor. of Sec. 25 & 36. from which a
 13. Ash 5 in. dia. bears West. 2 links dist; and a
 Do Do 4 " " " N 87 E. 24 " "
 Land level and good soil; rather wet; Timber Oak,
 Ash, Elm, & Hickory.

North On the East Boundary of Sec. 25. T. N. 14. N. R. N. 2 W.
 40.00 Set a post for the cor. to 1/4 Sec. from which a
 W. Buck 5 in. dia. bears S 63 E. 10 links dist; & a
 Ash 4 " " " N 10 W. 10 " "
 80.00 Set a post for the cor. to Sec. 24 & 25. from which a
 Elm 36 in. dia. bears N 67 W. 13 links dist; & a
 Hickory 15 " " " S 62 W. 26 " "
 Land Soil & Timber similar to the last mile.

North On the East Boundary of Sec. 24. T. N. 14. N. R. N. 2 W.
 40.00 Set the post for the cor. of 1/4 Sec. from which a
 Hickory 12 in. dia. bears S 32 W. 23 links dist; & a
 Buck 10 " " " N 14 E. 43 " "
 53.00 To a Brook 8 links wide; Course East
 80.00 Set a post for the cor. to Sec. 13 & 24 from which a
 Sugar 27 in. dia. bears N 23 W. 25 links dist; & a
 Buck 9 " " " S 55 E. 16 " "

T. N^o 14. N. R. N^o 2 W. 2nd Mer. Ind.^a 51

Land part rolling and part level and muddling
good for farming; Timber, Oak, Beech, Ash, Sugar
& Poplar,

North On the East Boundary of Sec. 13, T. N^o 14. N. R. N^o 2 W.
21.00 To a Brook 12 miles wide, Course East.
40.00 Set a post for the cor. to $\frac{1}{4}$ Sec. from which a
Hickory 18 in. dia: bears S 52 W. 8 miles dist; and a
do 12 " " " N 4 E. 35 " "
80.00 Set a post for the cor. of Sec. 12. & 13. from which a
Lynn 8 in. dia: bears S 75 W. 28 miles dist; and a
Buck 18 " " " N 38 E. 39 " "
Land level and timber same as on the last mile.

North On the East Boundary of Sec. 12, T. N^o 14. N. R. N^o 2 W.
40.00 Set a post for the cor. to $\frac{1}{4}$ Sec. from which a
Buck 18 in. dia: bears N 84 E. 37 miles dist; and a
do 20 " " " N 22 W. 24 " "
65.00 To a Brook 8 miles wide, Course West.
80.00 Set a post for the cor. to Sec. 1. & 12 from which a
Buck 20 in. dia: bears S 50 E. 17 miles dist; and a
do 27 " " " N 20 W. 25 " "
Land level rich and good for farming; Timber same

North On the East Boundary of Sec. 1, T. N^o 14. N. R. N^o 2 W.
7.00 To a Brook 8 miles wide, Course W.
40.00 Set a post for the cor. to $\frac{1}{4}$ Sec. from which a
Buckeye 10 in. dia: bears S 26 E. 9 miles dist; & a
Hickory 6 " " " N 70 W. 25 " "
78.06 To the cor. of Towns. 14, 14. & 15, 15 N. R. N^o 1 & 2 W.
and set a post from which a
Buck 10 in. dia: bears N 83 W. 37 miles dist; & a
Hickory 14 " " " S 74 E. 40 " "

T. N^o 14. N.R. N^o 27. 2nd Mer Ind.^a

Sand Soil and timber Same

North Boundary

Q. 113

June 26. 1819 var. 5⁰⁰ 50.

- West On the South Boundary of sec. 36. T. N^o 15. N.R. N^o 27.
 15.00 To a Brook 30 links wide; Course S.W.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Hickory 24 in. dia. bears N 63 E. 14 links dist; and a
 Lynn 24 " " " S 13 W. 5 " "
 80.00 Set a post for the cor. of sec. 35 & 36. from which a
 Beech 15 in. dia. bears N 63 E. 24 links dist; and a
 Do 9 " " " S 34 W. 31 " "
 Sand soil and good for farming; Timber Beech, Oak,
 Ash, Walnut, Sugar &c

- West On the South Boundary of sec. 35 T. N^o 15 N.R. N^o 27.
 17.00 To a Brook 8 links wide, Course South
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Hickory 30 in. dia. bears S 57 W. 4 links dist; and a
 Beech 5 " " " N 44 E. 18 " "
 54.50 To a Brook 57. links wide, Course South.
 80.00 Set a post for the cor. of sec. 34 & 35 T. N^o 15 N.R. N^o 27.
 from which a Beech 10 in. dia. bears S 63 W 9 links dist
 and a Do 4 " " " N 81 E. 4 " "
 Sand soil and timber Same as last mile; a little rolling

- West On the South Boundary of sec. 34. T. N^o 15 N.R. N^o 27.
 16.00 To a Brook 12 links wide, Course S.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Beech 8 in. dia. bears N 34 E. 11 links dist; and a
 Hickory 14 " " " S 69 W. 15 " "
 74.50 To a Brook 8 links wide, Course South
 80.00 Set a post for the cor. to sec. 33 & 34 from which a

53

T. N^o 14. N. R. N^o 2 W. 2nd Mer. Ind.

Beck 18 in. dia: bears N 55 E. 28 links dist; & a
 Sugar 12 " " " S 33 W. 28 " "
 Sand soil and timber same as on the last mile.

West On the South Boundary of Sec. 33 T. N^o 15 N. R. N^o 2 W.
 22.00 To a Brook 60 links wide; Course South.
 40.00 Set a post for the cor. to $\frac{1}{4}$ Sec. from which a
 Beck 6 in. dia: bears N 7 E. 11 links dist; and a
 Ho 9 " " " S 12 W. 12 " "
 80.00 Set a post for the cor. of Sec. 32 & 33 from which a
 Beck 8 in. dia: bears N 2 W. 8 links dist; and a
 Hickory 12 " " " S 9 E. 19 " "
 Sand soil and timber same as on the last mile.

West On the South Boundary of Sec. 32 T. N^o 15 N. R. N^o 2 W.
 35.00 To a Brook 8 links wide; Course South
 40.00 Set a post for the cor. to $\frac{1}{4}$ Sec. from which a
 Hickory 14 in. dia: bears N 6 E. 5 links dist; & a
 Sugar 15 " " " N. 1 W. 20 " "
 67.50 To a Brook 8 links wide; Course South
 80.00 Set a post for the cor. of Sec. 31 & 32 from which a
 Beck 9 in. dia: bears N. 22 E. 6 links dist; & a
 Hickory 9 " " " S 39 W. 20 " "
 Sand soil and timber same as on the last mile.

West On the South Boundary of Sec. 31. T. N^o 15 N. R. N^o 2 W.
 9.00 To a Brook 10 links wide; Course S.
 40.00 Set a post for the cor. of the $\frac{1}{4}$ Sec. from which a
 Beck. 9 in. dia: bears N 34 E. 3 links dist; and a
 Hickory 27 " " " S 60 E. 9 " "
 73.75 Intersect the N 15 Range line 194 links South of the
 Township cor. for T. 14. 14. & 15. 15 N. R. N^o 2 & 3 W.
 Sand and timber same as the last mile.

T. N. 14 N. R. N. 2 W. 2nd Mer. Ind. 1st

West Boundary

A. 114

- North On the East Boundary of sec. 36, T. N. 14 N. R. N. 3 W.
 35.00 To a Brook 5 links wide, Course S.E.
 40.00 Set a post for the cor. to $\frac{1}{4}$ Sec. from which a
 Beech 24 in. diam. bears N 36 E. 25 links dist; and a
 Ash 4 " " " N 72 W. 13 " "
 80.00 Set a post for the cor. of Sec. 25 & 36 from which an
 Ash 20 in. diam. bears East 2 links dist; and a
 Beech 12 " " " N 62 W. 16 " "
 Land good for farming; Timber Beech Sugar Ash Oaks

- North On the East Boundary of sec. 25, T. N. 14 N. R. N. 3 W.
 26.50 To a Brook 10 links wide, Course East
 40.00 Set a post for the cor. to $\frac{1}{4}$ Sec. from which an
 Elm 18 in. diam. bears N 49 W. 16 links dist; & a
 Beech 10 " " " N 56 E. 30 " "
 47.50 To a Brook 10 links wide, Course East
 74.00 " " " 14 " " " S.E.
 80.00 Set a post for the cor. to Sec. 24 & 25, from which a
 Beech 12 in. diam. bears S 59 E. 21 links dist; and a
 Oak 24 " " " N 20 W. 29 " "
 Land soil and timber same as last mile

- North On the East Boundary of sec. 24, T. N. 14 N. R. N. 3 W.
 13.00 To a Brook 15 links wide, Course —
 40.00 Set a post for the cor. to $\frac{1}{4}$ Sec. from which a
 Beech 12 in. diam. bears S 59 E. 4 links dist; & a
 Sugar 10 " " " N 39 W. 40 " "
 61.00 To a Spring Brook 5 links wide, Course East
 80.00 Set a post for the cor. of Sec. 13 & 24, T. N. 14 N. R. N. 3
 W. from which a Beech 18 in. diam. bears South 13 links dist;
 and a Beech 12 " " " N 19 E. 21 " "
 Land soil and timber same as on the last mile

T. N^o 14. N.R. N^o 2nd W. 2nd Mer. Ind.^e

55

North On the East Boundary of Sec. 13. T. N^o 14. N.R. N^o 3 W.
 3.00 To a Brook 25 links wide, corner S.E.
 40.00 Set a post for the cor. to 1/4 Sec. from which a
 Bech 12 mi. dist. bears S 37 N. 14 links dist; and a
 Ho 8 " " " N 46 E. 17 " "
 76.50 To a Brook 5 links wide, corner S.E.
 80.00 Set a post for the cor. of sec. 12 & 13. From which a
 Bech 10 mi. dist. bears S 31 N. 2 links dist; and a
 Ho 8 " " " N 31 E. 18 " "
 Sand soil and timber same as on the last mile.

North On the East Boundary of Sec. 12. T. N^o 14. N.R. 3 W.
 40.00 Set a post for the cor. to 1/4 Sec. from which a
 Sugar 10 mi. dist. bears S 39 W. 10 links dist; and a
 Bech 6 " " " N 9 E. 14 " "
 80.00 Set a post for the cor. to sec. 1. & 12 from which a
 Bech 10 mi. dist. bears N. 52 E. 12 links dist; and
 Ho 18 " " " S 12 W. 20. " "
 Sand soil and good for farming; Timber Bech Sugar
 and Ash, Hickory &c

North On the East Boundary of Sec. 1. T. N^o 14. N.R. N^o 3 W.
 40.00 Set a post for the cor. to 1/4 Sec. from which a
 B Ash 9 mi. dist. bears S 68 W. 11 links dist; & a
 Do Do 18 " " " N 23 E. 21 " "
 78.06 To the cor. of Town. 14. 14. & 15. 15. N. R. 3 & 2 W. and
 Set a post for the cor. to sec. 1. & 36 from which a
 Bech 18 mi. dist. bears S 68 W. 4 links dist; and a
 Ho 24 " " " North 6 " "
 Sand Soil and timber same as on the last mile

Surveyed by
 William Harris L.S.

T. N. 14. N. R. N. 2 W. 2 N. (Mer. Ind.)

Subdivisions

September 27, 1819 Commenced surveying the public lands under the direction of Edward Tiffin Esq. Surveyor General of the United States.

North Between Sec. 35 & 36 T. N. 14. N. R. N. 2 W.

17.30 To a Buck 10 mi. dist. stands in the line

26.00 " " " 8 " " " " " "

40.00 Set a post for the cr. to $\frac{1}{4}$ sec. from which a

Buck 18 mi. dist. bears N 46° E. 25 miles dist; and a

W Oak 24 " " " S 24° W. 18 " " "

49.00 To a Brook 12 miles midy course S 50° E.

57.50 " " Drain

68.00 To a Buck 8 mi. dist. stands in the line.

72.67 " " W Oak 24 " " " " " "

80.00 Set a post for the cr. of Sec. 25, 26, 35 & 36 from which a

Buck 12 mi. dist. bears N 82° E. 35 miles dist; and a

Wick 8 " " " S 79° W. 32 " " "

Sound level and 3rd order Timber Buck, W Oak, Run Oak, Ash, Spruce & Hick; U. S. Pine Maple &c.

East On a Random line on the Sec. 36 between Sec. 25 & 36.

10.00 To a Brook 20 miles midy, course S 75° E.

36.00 " " Drain

40.00 Set a temporary post for the cr. to $\frac{1}{4}$ sec.

79.93 Intersect the N 13 line at the cr. of Sec. 25 & 36.

Sound level and 2nd order; Timber Buck, Hick, W Oak, Run Oak, Red Oak, B Walnut, &c U. S. Pine &c

West On the true line between Sec. 25 & 36 T. N. 14. N. R. N. 2 W.

39.96 Set the temporary post at the av. dist. on the true line farther cr. to $\frac{1}{4}$ sec. from which a

Buck 12 mi. dist. bears S 40° E. 18 miles dist; and a

Lo. 20 " " " N 24° W. 32 " " "

79.93 To the post cor. of lat. 25, 26, 35, 136.

North Between lat. 25 & 26, T. N. 14, N.R. N. 27.

6.50 To a W. Oak 24 in. dia? Stands in the line

8.50 To a Brook, (dry), 18 links wide, Course S. E.

17.00 To a Beech 9 in. dia? Stands in the line

40.00 Set a post for the cor. to 1/4 Sec. from which a
Sycamore 13 in. dia? bears S 21 E. 23 links out; and a
Bark 5 " " " S 11 E. 12 " "

42.80 To a Beech 12 in. dia? Stands in the line

59.00 " " 10. " " " " " "

69.90 To a W. Oak 36 " " " " "

80.00 Set a post for the cor. of lat. 23, 24, 25, 126 from which a
Beech 9 in. dia? bears N 52 E 8 1/2 links dist and a
Sycamore 14 " " " S 87 W. 19 " "

Land rolling & 2nd rate; timber Beech R Oak, Burr Oak
Hickory Sycamore Sugar & W. Spruce & Maple.

East On a Random line between lat. 24 & 25 T. N. 14 N.R. N. 27

18.00 To a Spruce

19.50 To a Spring Brook 6 links wide, crossed the same 3 times
in 16 & 50 links Course S 80 E.

29.00 To a Dry Brook 22 links wide, Course S 10 E.

40.00 Set a temporary post for the cor. to 1/4 Sec

74.62 To a Spruce

79.90 Intersected the N & S line 17 links South of the post set
for the cor. of lat. 24 & 25. Land. R. & 2nd rate rolling; 2nd
rate; 2nd & 3rd had 2nd rate. Timber W. Oak, Beech, Hickory
Red Oak, &c.

West On the true line between lat. 24 & 25 T. N. 14, N.R. N. 27

39.95 Set the temporary post at the even dist on the true line for the
cor. to 1/4 Sec. from which a

T. N. 14 N. R. N. 2 W. 2nd Mer. Ind.

Elm 9 in. dia: bears N 30 W. 10 links dist: post, and a
 Hickory 9 " " S 9 E. 18 " "
 79.90 To the post set for the cor. of sec. 23, 24, 25, & 26

North Between sec. 23 & 24 T. N. 14. N. R. N. 2 W
 7.50 To a Buck 14 in. dia: stands in the line
 19.50 To a Hickory 20 in. dia: " " " "
 35.00 To a Spruce
 40.00 Set a post for the cor. to $\frac{1}{4}$ Sec. from which a
 Hickory 13 in. dia: bears N 49 W. 2 links dist: to
 a Buck 9 " " S 2 E. 8 " "
 50.42 To a W. Oak 18 in. dia: stands in the line
 74.50 " " W. Oak 24 " " " " "
 75.50 To a Spruce
 80.00 Set a post for the cor. of sec. 13, 14, 23 & 24 from which a
 W. Oak 18 in. dia: bears N 73 $\frac{3}{4}$ W. 15 links dist: to
 Sugar 13 " " S 73 $\frac{3}{4}$ E. 27 " "
 Land rolling and 2nd rate; Timber W. Oak, Hickory
 Buck, Sugar & Ash.

East On a Random line between Sec. 13 & 24 T. N. 14. N. R. N. 2 W
 40.00 Set a temporary post for the cor. to $\frac{1}{4}$ Sec.
 56.00 To a Drybrook 8 links in. dia, corner S. E.
 79.84 Intersect the N. & S. line 4 links South of the post set for
 the cor. of sec. 13 & 24
 Land rolling and good 2nd rate; Timber Buck,
 Hickory, W. Oak, & some Sugar

West On the true line between Sec. 13 & 24 T. N. 14. N. R. N. 2 W
 39.90 Set the temporary post on the true line for the cor. to $\frac{1}{4}$
 Sec. from which a
 Hickory 14 in. dia: bears S 22 $\frac{1}{2}$ E. 10 links dist: to
 Ironwood 3 " " N 13 W. 5 $\frac{1}{2}$ " "

59

T. N^o 14. N.R. N^o 2 W. 2nd Mer. Ind^a

79.84 To the cor. of sec. 13. 14. 23 & 24

North Return Sec. 13. & 14 T. N^o 14. N.R. N^o 2 W.
 4.50 To a Hickory 18 mi. dist. Stands in the line
 13.27 To a Drain
 23.60 To a Hickory 12 mi. dist. Stands in the line
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Hickory 18 mi. dist. bears S 48 $\frac{1}{2}$ E. 12 links dist; to
 Oak 6 " " " N 78 $\frac{1}{2}$ W. 14 " "
 58.32 To a Hickory 20 mi. dist. Stands in the line.
 64.29 To a Drain
 71.72 To a Red Oak 30 mi. dist. Stands in the line
 80.00 Set a post for the cor. of sec. 11. 12. 13. & 14 from which a
 Buck 12 mi. dist. bears N 3 E. 48 links dist; & an
 Elm 13 " " " S 44 $\frac{1}{2}$ W. 37 " "
 Land rolling and good 2nd rate, Timber N. & R. Oaks
 Hickory Sugar and Ash.

East On a Random line between Sec. 12 & 13 T. N^o 14 N.R. N^o 2 W.
 40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.
 53.32 To a Drain
 79.00 " " "
 79.94 Intersect the N-S line 30 links North of the post
 Set for the cor. of sec. 12 & 13.
 Land rolling and good 2nd rate; Timber N. Oaks
 Hickory and Buck; M. & Spruce Haze & B. Ash

West On the true line between Sec. 12 & 13 T. N^o 14 N.R. N^o 2 W.
 39.97 Set the temporary post at the av. dist on the true line for
 the cor. to $\frac{1}{4}$ sec. from which a
 Spruce 15 mi. dist. bears S 10 $\frac{3}{4}$ W. 9 $\frac{1}{2}$ links dist; to
 Birch 18 " " " N 52 $\frac{1}{2}$ E. 17 " "
 79.94 To the cor. of sec. 11. 12. 13. & 14

T. N^o 14 N.R. N^o 2 W. 2nd Mer. Ind.^o

- North Between Sec. 11 & 12 T. N^o 14 N.R. N^o 2 W.
 1961 To a B. Ash, 8 in. dia. Stands in the line.
 35.58 " " Sugar 9 " " " " "
 37.27 To a Grove 50 miles mid, Course S.W.
 40.00 Set a post for the cor. to $\frac{1}{4}$ Sec. from which a
 B.M. about 36 in. dia. bears S 88 $\frac{1}{2}$ E. 35 the dist; to
 Sycamore 24 " " " N 84 W. 60. " "
 50.30 To a Spruce 20 in. dia. Stands in the line
 75.40 " " P. Oak 25 " " " " " "
 80.00 Set a post for the cor. of Sec. 1, 2, 11 & 12 from which a
 P. Oak 20 in. dia. bears S 34 $\frac{1}{2}$ E. 17 miles dist; to
 Beech 6 " " " N 33 $\frac{1}{2}$ W. 49 " "
 Land 1st rat; Timber Burr Oak, Spruce, Beech,
 Hickory Bk Walnut, &c. N. 9 Spruce.

- East On a Rimmon line between Sec. 1 & 12 T. N^o 14 N.R. N^o 2 W.
 28.50 To a Brook 50 miles mid, Course S.W.
 31.66 To a Dry Brook 20 miles mid, Course S.W.
 40.00 Set a temp. post for the cor. to $\frac{1}{4}$ Sec.
 41.25 To a Rain
 46.28 " " "
 79.92 Intersect the N.R. line 4 miles North of Post. set
 for cor. of Sec. 1 & 12 Land 2nd rat and 2nd rat.
 Timber Beech Burr Oak, Hickory, &c. N. 9 Spruce.

- West On the true line between Sec. 1 & 12 T. N^o 14 N.R. N^o 2 W.
 39.96 Set the temp. post at the av. dist on the true line for the
 cor. to $\frac{1}{4}$ Sec. from which a
 Beech 20 in. dia. bears N 45 W. 13 miles dist; to
 B. Oak 18 " " " S 15 $\frac{3}{4}$ E. 35 " "
 79.92 To the post cor. to Sec. 1, 2, 11 & 12.

North Between Sec. 1 & 2. T. N^o 14 N.R. N^o 2 W.

61

T. N^o 14. N.R. N^o 27. 2nd Mer. (Ind^a.)

North Between Sec^s 1 & 2. T. N^o 14. N.R. N^o 27.
 13.50 To a Brook 25 miles wide, Course S.W.
 In 10 ch^s crossed the same Brook 3 times.
 24.50 To a W. Oak 30 in. diam. Stands in the line.
 40.00 To a W. Oak 30 in. diam. Stands for the cor. to 1/4 sec.
 43.22 To a Brook 15 miles wide, Course West.
 49.46 To a Beech 6 in. diam. Stands in the line
 61.55 " " Do. 8 " " " " "
 77.75 Intersect the North Branch? at the first cor. to sec^s
 35 & 36. T. N^o 15 N.R. N^o 27.
 Land 2nd 1/2 mile N^o rate; first 1/2 flat 2nd rate.
 Timber Beech, Pine Oak, Lign. Hick^y & Sugar.

North Between Sec^s 34 & 35. T. N^o 14. N.R. N^o 27.
 15.64 To a Beech 6 in. diam. Stands in the line
 32.00 " " Hick^y 14 " " " " "
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Beech 10 in. diam. runs N 10 1/4 East. 20 miles dist
 Do. 15 " " " N 41 1/4 E. 30 " "
 40.53 To a Brook 6 miles wide, Course S.E.
 46.30 " " Spring branch — " S.W.
 54.91 To a Hick^y 30 in. diam. Stands in the line.
 80.00 Set a post for the cor. to Sec^s 26, 27, 34 & 35, from which
 a Beech 6 in. diam. runs N 20 1/2 E. 10 miles dist, & a
 Elm 20 " " S 42 1/2 W. 33 " "
 Land rolling under 2nd rate; Timber Beech, W. Oak
 Hick^y and Ash.

East On a Random line between Sec^s 26 & 35. T. N^o 14. N.R. N^o 27.
 22.50 To a Brook 10 miles wide, Course S.E.
 40.00 Set a temporary post for the cor. to 1/4 sec.
 80.10 Intersect the N & S line at the post cor. of sec^s 25, 26, 35 & 36.
 T. N^o 14. N.R. N^o 27.

I. N. 14. N.R. N. 27. of the 2nd Mer. Ind.

Sand 1st 1/2 mile rolling 2nd rate. 2nd 1/2 mile flat 3rd rate. Timber Beech, Sugar, Hickory, Ash, & Spruce
U.S. Spruce, Oak, Hazelnut.

West On the true line between Sec. 26 & 35 I. N. 14 N.R. N. 27.
40.00 Set the temporary post on the true line for the cor. to 1/4 sec. at the corner ditch; from which a
Buck 30 in. dia. bears S 25 E. 6 links ditch; to
Hogwood 6 " " " N 70 1/4 W. 24 " "
80.10 To the cor. of sec. 26. 27. 34 & 35

North Between Sec. 26 & 27 I. N. 14. N.R. N. 27.
14.27 To a Buck 9 in. dia. stands in the line
33.25 To a strain
40.00 Set a post for the cor. to 1/4 sec. from which a
Sugar 8 in. dia. bears S 68 1/4 E. 16 links ditch; to
Buck 6 " " " N 35 1/2 W. 35 " "
41.25 To a strain
52.25 To a spring branch - links wide, corner S.W.
57.66 To a long B. Post 14 links wide, corner S.W.
64.15 " " Sugar 18 in. dia. stands in the line.
77.32 To a Hickory 24 " " " " " "
80.00 Set a post for the cor. of sec. 22, 23, 26 & 27 from which a
Buck 16 in. dia. bears S 78 1/2 W. 6 links ditch; to
Hickory 18 " " " N 38 1/2 E. 37 " "
Sands good 2nd rate; Timber Beech, Ash, & Spruce
U.S. Spruce

East On a Random line between Sec. 23 & 26 I. N. 14 N.R. N. 27.
40.00 Set a temporary post for the cor. to 1/4 sec.
80.10 Intersect the N. 23 line at the post cor. to sec. 23, 24, 25
and 26. I. N. 14 N.R. N. 27.
Sands rolling and 2nd rate; Timber Beech, Hickory

63

T. N^o 14 N.R. N^o 27. 2nd Mer. Ind.^e

Sugar & Ash. W. J. Spier, Hazle.

West On the true line between Sep. 23 & 26 T. N^o 14. N.R. N^o 27.
40.05 Set the temporary post at the aver. dist. on the true line
for the cor. to $\frac{1}{4}$ sec. from which a
Beck 14 in. diam. bears S $77^{\circ} 14'$ W. 14 links dist; and a
do 24 " " " N $13^{\circ} 14'$ W. 24 " "

North Between Sep. 22. 1833. T. N^o 14. N.R. N^o 27.
18.00 Sugar 24 in. diam. stands in the line
27.75 To a Hick 30 in. diam. " " " "
40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Lynx 12 in. diam. bears N $7^{\circ} 14'$ E. 17 links dist; & a
Red Elm " " " " N $56^{\circ} 14'$ W. 47 " "
66.44 To a Beck 12 in. diam. stands in the line.
80.00 Set a post for the cor. off Sep. 14, 15, 22, & 23 from which
a Beck 10 in. diam. bears S 63° E. 10 links dist; and a
do 14 " " " " S $6^{\circ} 34'$ W. 23 " "
Lands rolling 2nd rate; Timber Beck, W. Oak, Hick,
some Lynx & Sugar. W. J. Spier & Hazle.

East On a Random line between Sep. 14 & 23. T. N^o 14. N.R.
40.00 Set the temporary post for the $\frac{1}{4}$ sec. cor.
56.50 To a Brook - links wide, course N.W.
80.16 Intersected the N & S line 20 links north of the post set
for the cor. off Sep. 13, 14, 23, & 24. T. N^o 14. N.R. N^o 27.
Lands rolling and good 2nd rate; Timber Beck,
Sugar, W. Oak, & Hick W. J. Spier, Hazle.

West On the True line between Sep. 14 & 23. T. N^o 14. N.R. N^o 27.
40.08 Set the temporary post at the aver. dist. on the true line for
the cor. to $\frac{1}{4}$ sec. from which a
Beck 13 in. diam. bears S 28° E. 2 links dist; and a

T. N^o 14, N.R. N^o 27. 2nd Mer. S. d.

Back 12 in. diam. bears N 28 W. 21 miles dist;
80.16 To the post for the cor. of sec. 14, 15, 22, & 23.

South Between Sec. 14 & 15. T. N^o 14, N.R. N^o 27.

25.50 In a W. Oak 36 in. diam. Stands in the line.

40.00 Set a post for the cor. off $\frac{1}{4}$ sec. from which a

Back 11 in. diam. bears S 11 $\frac{1}{2}$ E. 7 miles dist; and a

Buckeye 14, " " N 43 $\frac{1}{2}$ W. 22, " "

54.00 To a Brook 50 miles wide, Course S.W.

58.00 " an Elm 16 in. diam. Stands in the line.

59.50 To the above Brook

61.00 " " Same stream

80.00 Set a post for the cor. off sec. 10, 11, 14, & 15 from which a

B. Oak 6 in. diam. bears S 15 $\frac{1}{2}$ E. 6 miles dist; and a

W. Elm 7, " " N 48 $\frac{1}{2}$ W. 19, " "

Sand N^o 1 $\frac{1}{2}$ mile Back W. Oak, & Hickory; Sand rolling
2nd rate; 2nd $\frac{1}{2}$ mile to Walnut & W. Walnut, Buckeye
under Spruce Timber; Rich bottom.

East On a Random line between Sec. 11 & 14. T. N^o 14, N.R. N^o 27.

25.00 In a Creek 100 lbs South of the line.

26.50 To a Creek 50 miles wide, Course S.W.

40.00 Set a temporary post for the cor. off $\frac{1}{4}$ sec.

80.00 Intersect the N. & S. line at post cor. of sec. 11, 12, 13, & 14.

Sand wood N^o 1 rate; Timber B. Walnut, Buckeye,

Red Oak, & Hickory, U.S. Spruce & Maple.

West On the true line between Sec. 11 & 14. T. N^o 14, N.R. N^o 27.

40.00 Set the temporary post on the true line for the aver. dist;
for the cor. to $\frac{1}{4}$ sec. from which a

Red Oak 13 in. diam. bears N 13 $\frac{1}{4}$ W. 12 miles dist.

Maple Back 4, " " S 47 $\frac{1}{2}$ E. 19, " "

80.00 To the cor. of Sec. 10, 11, 14, & 15.

North Return Sect. 10 & 11. T. N. 14. N. R. N. 27.
 14.94 To a N. Oak 30 in. dia. stands in the line.
 40.00 Set a post for the cor. of $\frac{1}{4}$ sec. from which a
 Syc 13 in. dia. bears S 42 $\frac{1}{2}$ E. 12 links dist; to
 Hick 24 " " S 80 $\frac{3}{4}$ W. 29 " "
 53.66 To a Beech 16 in. dia. stands in the line.
 61.00 " " Sugar 18 " " " " " "
 80.00 Set a post for the cor. of Sect. 2, 3, 10 & 11. from which a
 Sugar 14 in. dia. bears N 89 E. 10 links dist; to
 Do. 12 " " " S 51 W. 13 " "
 Land rolling under 2nd rate; Timber Beech, N. Oak
 Hick, and Syc, & Sugar M. J. Spruce.

East On a Random line between Sect. 2 & 11. T. N. 14. N. R. N. 27.
 40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.
 69.00 To a Brook — the wide, course S.
 80.00 Intersected the N. R. line at the post set for the cor. of Sect.
 1, 2, 11 & 12 Land rolling and good 2nd rate,
 Timber Beech, Sugar, N. Oak, Elm &c. M. J. Spruce, & Haze
 Prickly Ash.

West On the true line between Sect. 2 & 11. T. N. 14. N. R. N. 27.
 40.00 Set the temporary post on the true line at the am. dist;
 for the cor. to $\frac{1}{4}$ sec. from which an
 Elm 24 in. dia. bears S 58 $\frac{1}{4}$ E. 8 links dist to
 N. Beech 4 " " " N 30 $\frac{1}{2}$ E. 20 " "
 80.00 To the cor. of Sect. 2, 3, 10 & 11

North Return Sect. 2 & 13. T. N. 14. N. R. N. 27.
 7.50 To a Brook 25 links wide, course S. W.
 14.50 " " " 25 " " " S. E.
 20.00 " " " " " " S. W.
 28.25 To a Sugar 12 in. dia. stands in the line.

T. N^o 14 N.R. N^o 2 W. of the 2nd Mer. Ind.^o

- 40.00 Set a post for the cor. of $\frac{1}{4}$ sec. from which a
South Sugar 30 in. dist. bears S 78° W. 18 miles dist; & a
Sugar 12 " " S 76° E. 19 " "
- 56.09 To a Hickory 12 in. dist. stands in the line
- 77.72 Intersect the N.B. boundary of T. N^o 14 N.R. N^o 2 W. at
the post cor. to Sec. 34 & 35 T. N^o 15 N.R. N^o 2 W.
Lands rolling 2nd rate; Timber W. Oak, Hickory, Elm,
Sycamore, Ash, Sugar, &c. No Spruce or Maple.

- North Return Sec. 33 & 34 T. N^o 14 N.R. N^o 2 W.
- 23.70 To a W. Oak 36 in. dist. stands in the line
- 40.00 Set a post for the cor. $\frac{1}{4}$ sec. from which a
W. Oak 14 in. dist. bears S 70° E. 8 miles dist; & a
Do 5 " " " N 63° W. 18 " "
- 60.50 To a W. Oak 26 in. dist. stands in the line.
- 80.00 Set a post for the cor. of Sec. 27, 28, 33 & 34 from which
a Pin. Oak 16 in. dist. bears S 75° W. 14 miles dist
a Pin. Oak 10 " " " N 44° E. 23 " "
Lands level and 2nd rate; Timber W. Oak, Hickory,
P. Oak, Elm Sycamore, White Ash; No Maple or Birch

- East On a Random line between Sec. 27 & 34 T. N^o 14 N.R. N^o 2 W.
- 36.00 To a Brook. Corner N. Co. W.
- 38.00 " " " " S 80° W.
- 40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec. from
- 79.70 Intersect the N.B. line at the post set for the cor. of
Sec. 26 27, 34 & 35 Lands rolling & 2nd rate.
Timber Beech, Sugar, Oak, and Hickory &c
No Spruce. Lands rolling 2nd rate.

- West On the true line between Sec. 27 & 34 T. N^o 14 N.R. N^o 2 W.
- 39.85 Set the temporary post on the true line at the av. dist.
for the cor. to $\frac{1}{4}$ sec. from which a

67

T. N^o 14 N.R. N^o 27. 2nd Mer. Ind.

Buck 24 in. dia. bears S E. 20 links dist; to
 Do 24 " " " N 67^o 46 " "
 79.70 To the post cor. of sec. 27. 28. 33. & 34

North Between Sec. 27. & 28 T. N^o 14 N.R. N^o 27.
 21.65 To a Hickory 14 in. dia. stands in the line
 33.50 To a Brook — links side, corner NW
 40.00 Set a post for the cor. off $\frac{1}{4}$ sec. from which a
 B. Ash. 15 in. dia. bears N 57 $\frac{3}{4}$ E. 36 links dist;
 Lynn 12 " " " S 52 $\frac{3}{4}$ W. 28 " "
 46.75 To a W Oak 14 in. dia. stands in the line
 80.00 Set a post for the cor. off sec. 21. 22. 27. & 28 from which a
 Hickory 14 in. dia. bears N 62 $\frac{1}{2}$ W. 12 links dist; to
 Buck 8 " " " N 71 $\frac{1}{2}$ E. 20 " "
 Sand hole and N^o 1st rate; Timber W Oak, Hickory,
 Buck Lynn, Buckeye 130 W Ash. W Spruce.

East On a Random line between Sec. 22. & 27 T. N^o 14 N.R. N^o 27.
 40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.
 79.70 Intersect the N 18 line 20 links South of the post cor.
 to Sec. 22. 23. 26. & 27. Land nothing and good
 2nd rate. Timber Buckeye Sugar W Oak, & Hickory
 W Spruce and Ironwood

West On the true line between Sec. 22. & 27 T. N^o 14 N.R. N^o 27.
 39.85 Set the temporary post at the corner dist on the true line for
 the cor. to $\frac{1}{4}$ sec. from which a
 Sugar 10 in. dia. bears S 76 $\frac{3}{4}$ E 65 links dist; to
 Buck 10 " " " N 83 $\frac{1}{2}$ W. 25 " "
 79.70 To the cor. of sec. 21. 22. 27. & 28

North Between Sec. 21. & 22. T. N^o 14 N.R. N^o 27.
 11.00 To a Brook — links side, corner NW.

T. N^o 14. N.R. N^o 2 W. 2nd Mer. (Ind.?)

- 29.86 To a Buck. 12 in. diam. Stands in the line
 40.00 Set a post for the cor. to $\frac{1}{4}$ Sec. from which a
 Buck 12 in. diam. bears N 36 W. 8 links dist; and a
 Do 10 " " " S 36 $\frac{1}{2}$ W. 14 " "
 61.50 To a Buck 30 in. diam. Stands in the line
 66.00 To a Brook 60 links wide, course S.W.
 69.00 " " Do 60 " " " S.E.
 75.00 " " Do 60 " " " S.W.
 77.50 " " Do 60 " " " S.E.
 80.00 Set a post for the cor. of sec. 15. 16. 21. 22 from which a
 Bolder 6 in. diam. bears N 21 $\frac{3}{4}$ E. 8 links dist; to
 Do Do. 8 " " " S 34 $\frac{1}{2}$ E. 21. " "
 Sand rolling 2nd rate, Timber on the Pt. 66. ch. 77. Oak
 Hickory, Buck, &c Timber on bottom. Sycamore Buckeye
 and Hackberry

-
- East On a Random line between Sec. 15 & 22. T. N^o 14. N.R. N^o 2 W.
 1.50 To a Brook - links wide, course S.W.
 3.50 " Same stream - " " " S.W.
 5.00 " " " - " " " S.W.
 9.00 " " " - " " " N.W.
 11.50 " " " - " " " S.W.
 40.00 Set a temporary post for the cor. to $\frac{1}{4}$ Sec.
 66.50 To a Brook - links wide, course S.W.
 79.70 Intersected the N.R. line 18 links South of the post
 cor. of sec. 14. 15. 22, & 23. Timber Buck. W. Oak
 Hickory 10. undergrowth. Spruce. Water Buck.

-
- West On the true line between Sec. 15 & 22. T. N^o 14. N.R. N^o 2 W.
 39.85 Set the temporary post on the true line at the cor. dist for
 the cor. to $\frac{1}{4}$ Sec. from which a
 Buck 16 in. diam. bears N 32 $\frac{3}{4}$ W. 6 links dist; and a
 Do 20 " " " S 2 $\frac{1}{2}$ W. 17 " "

T. N. 14 N. R. N. 27. 2nd Mer. (Ind) 69

79.70 To the post set for the cor. of Sec. 15. 16. 21. & 22.

North Return Sec. 15 & 16 T. N. 14. N. R. N. 27.
 7.50 To a Brook 40 units wide, Comee S.W.
 10.00 " " Do 40 " " " S.E.
 20.00 " " Do 40 " " " S.W.
 26.80 To a Buckeye 16 in. dia? Stands in the line.
 30.00 To the same stream twice
 34.00 " " " Do. 40 units wide, Comee S.E.
 40.00 Set a post for the cor. to $\frac{1}{4}$ Sec. from which a
 Sycamore 3 in. dia? bears $N 44 \frac{1}{4} E. 26$ units dist,
 Elm 4 " " " $N 48 W. 20$ " "
 41.50 To the above named stream. Comee S.W.
 56.00 " a Burr. Oak, 36 in. dia? Stands in the line.
 80.00 Set a post for the cor. of Sec. 9. 10. 15 & 16 from which
 a Sugar 14 in. dia? bears $S 70 \frac{1}{2} W. 3$ units dist;
 a W. Ash 15 " " " $S 58 E. 22$ " "
 Lands rich bottom Timber Hackberry, Buckeye,
 Sycamore Beech, Sugar & Ash. W. Spice & Pawpaw

East On a Random line between Sec. 10. & 15 T. 13. N. R. 27.
 3.00 To a Brook 40 units wide, Comee South
 26.50 " " Do. 40 " " " S.W.
 40.00 Set a temporary post for the cor. to $\frac{1}{4}$ Sec.
 79.70 Intersect the N. & S. line at post cor. for Sec. 10 & 11. 14 &
 15 Lands 2nd rate; Timber Beech, Sugar, Elm,
 Whitey Red Oak and Spruce. W. Spice. & W. Beech

West On the true line between Sec. 10 & 15 T. N. 14 N. R. 27.
 39.85 Set the temporary post at the aver. dist on the true line
 for the cor. to $\frac{1}{4}$ Sec. from which a
 Beech 20 in. dia? bears $N 5 \frac{1}{2} W. 25$ units dist; to
 Do. 16 " " " $S 22 W. 29$ " "

T. N. 14. N.R. N. 27. 2nd Mer. Ind.

79.70 To the cor. of sec. 10, 9, 15 & 16.

North Return Sec. 9 & 10. *T. N. 14. N.R. N. 27.*

30.94 To a Noisy 24 in. diam. Stands in the line

40.00 Set a post for the cor. to 1/4 sec. from which a
Sugar 10 in. diam. bears S 66° W. 10 miles dist; & a
Do 9 " " " N 10° W. 25 " "

42.00 To a Spring branch Course N.E.

50.00 To a Brook 6 miles mid- Course E.

55.00 To a Do 6 " " " S.W.

60.82 To a Noisy 22 in. diam. Stands in the line

80.00 Set a post for the cor. of sec. 3, 4, 9 & 10 from which
Sugar 10 in. diam. bears N 81° E. 18 miles dist; & a
Do 6 " " " S 86° W. 22 " "

Land rolling and 2nd rate. Timber Beech, Sugar
Noisy and White Ash. U.S. Spruce.

East On a Random line between Sec. 3 & 10. *T. N. 14. N.R. 27.*

5.00 To a Brook 30 miles mid; Course S.W.

40.00 Set a temporary post for the cor. to 1/4 sec.

68.00 To a Brook 35 miles mid, Course S.E.

79.70 Intersect the N.R. line 12 miles North of the post
cor. to Sec. 2, 3, 10 & 11.

Land rolling & 2nd rate; Timber Beech, Ash &
Undergrowth Spruce.

West On the true line between Sec. 3 & 10. *T. N. 14. N.R. 27.*

39.85 Set the temporary post at the cor. dist on the true line for
the cor. to 1/4 sec. from which a

Beech 16 in. diam. bears S 47° E. 22 miles dist; and a
N Elm 3 " " " S 88° W. 8 " "

79.70 To the cor. of sec. 3, 4, 9 & 10

T. N. 14. N.R. N. 277. 2nd Mer. (Ind.')

- North Return Sec. 3 & 4. T. N. 14. N.R. N. 277.
 18.65 To a Hackberry 18 in. dia. stands in the line
 26.25 " " Brook. 25 miles wide, corner S.E.
 30.00 " the Bank of the above stream
 40.00 Set a post for the cor. of the 1/4 sec. from which a
 Buckeye 12 in. dia. bears N 40 E. 24 miles dist; to
 Sugar 10 " " " S 34 1/2 N. 32 " "
 45.00 Under the Bank of same stream
 55.17 To a Beech 13 in. dia. stands in the line.
 77.80 Intersect the N 15 W. 44 miles East of the post set
 for the cor. of Sec. 33 & 34. T. N. 15 N.R. N. 277. and
 set a post for the cor. of sec. 3 & 4. from which a
 Beech 16 in. dia. bears S 7 W. 24 miles dist; and a
 Sugar 20 " " " N 15 1/2 E. 24 " "
 Land all bottom except 10 ch. at the South and 15
 ch. at the N. End of the line. Timber Beech, Ash
 Sugar Walnut, Buckeye, Hackberry, &c. M. J. Spec.

-
- North Return Sec. 32, 33. T. N. 14. N.R. N. 277.
 13.55 To an Elm 4 in. dia. stands in the line
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Beech 22 in. dia. bears S 57 E. 9 miles dist; to
 Hickory 16 " " " N 29 1/2 W. 26 " "
 51.25 To a Brook 75 miles wide, corner S.W.
 57.00 To a Pin Oak 48 in. dia. stands in the line.
 80.00 Set a post for the cor. of sec. 28, 29, 32, & 33. from which a
 B. Oak 5 in. dia. bears N 48 W. 11 miles dist; and a
 Buckeye 12 " " " S 31 E. 28 " "
 Land level and 1st rate with 2nd 1/2 mile; Timber W.
 Walnut, Elm, Hickory, and B. Oak. M. J. Spec. On the 1st
 1/2 mile rolling and 2nd rate; Timber Beech, Hickory
 W. Oak, &c. M. J. Spec.
-

T. N^o 14. N.R. N^o 2 W. 2nd Mer. Ind.

East On a Random line between Sec. 28. & 33. T. N^o 14. N.R. 2nd Mer.
 25.75 To a Brook 75 miles wide, Course S.W.
 40.00 Set a temporary post for the cor. to 1/4 Sec.
 80.16 Intersect the N.E. line 25 miles South of the post cor.
 to Sec. 27, 28, 32, & 33. Sand. rich bottom on the
 N. 1/2 mile; Timber, Buckeye, Hackberry, Hickory,
 W. Walnut, and Ash; 2nd 1/2 mile flat land. Timber
 Sycamore, Hickory, & Elm.

West On the true line between Sec. 28 & 33. T. N^o 14. N.R. N^o 2nd Mer.
 40.08 Set the temporary post at the corr. dist. on the true line for
 the cor. to 1/4 Sec. from which a
 Hackberry 16 mi. dist. bears N 7 1/2 E 11 miles dist; to
 Co 14 " " " S 55 1/2 W 23 " "
 80.16 To the cor. of sec. 28, 29, 32 & 33.

North Return Sec. 28. & 29 T. N^o 14. N.R. N^o 2nd Mer.
 28.62 To a Buck 15 mi. dist. Stands in the line.
 40.00 Set a post for the cor. to 1/4 Sec. from which a
 Buck 13 mi. dist. bears N 78 1/2 E. 14 miles dist; to
 Co 30 " " " S 78 1/2 W. 21 " "
 57.85 To a Buck 12 mi. dist. Stands in the line.
 80.00 Set a post for the cor. of sec. 20, 21, 28, & 29 from which
 a Buck 18 mi. dist. bears S 29 1/2 E. 11 miles dist; to
 Sugar 4 " " " N 51 1/2 W. 8 " "
 Timber Buck, Sugar, W. Oak, and Hickory (W) Spruce
 Sand rolling and 2nd rate.

East On a Random line between Sec. 21. & 28. T. N^o 14. N.R. 2nd Mer.
 37.00 To a Brook 30 miles wide, Course S.W.
 40.00 Set a temporary post for the cor. to 1/4 Sec.
 80.15 Intersect the N.E. line at the post cor. to Sec. 21, 22,
 27, & 28. Sand E & W ends rolling; middle bottom

T. N^o 14. N.R. N^o 277 2nd Mar. Ind^a 73

2nd rate; Timber Hickory, Sugar, Lym, Oak, Buck,
Buckeye & My Sweet Hazel

West On the true line between Sep. 21. & 28 T. N^o 14. N.R. N^o 277.
140.075 Set the temporary post on the true line for the cor. to 1/4 sec.
at the aver dist, from which a
N. Walnut 5 in. dia: bears S 37 E. 7 links dist; and a
W. Walnut 8 " " " N 37 W. 19 " "
80.15 To the cor. of Sep. 20. 21. 28. & 29.

North Return Sep. 20. & 21. T. N^o 14. N.R. N^o 277.
26.30 To a Buck 18 in. dia: stands in the line.
140.00 Set a post for the cor. to 1/4 sec. from which a
Buck 18 in. dia: bears N 84 E 4 1/2 links dist; to
No 15 " " " S 70 W. 4 1/2 " "
61.64 To a Buck 10 in. dia: stands in the line.
80.00 Set a post for the cor. of Sep. 16. 17. 20. & 21. from which
a Buck. 14 in. dia: bears N 54 W. 8 links dist; and a
No 10 " " " S 68 E. 28 " "
Land rolling 2nd rate; Timber N. Oak, Buck, Sugar, Ash

East On a random line between Sep. 16. & 21. T. N^o 14. N.R. N^o 277.
36.50 To a Brook 10 links wide, course South.
140.00 Set a temporary post for the cor. of 1/4 sec.
80.16 Intersected the N. & S. line 10 links South of the
post cor. of Sep. 15. 16. 21. & 22.
Land 1/2 mile rolling and 2nd rate; Timber 1/2
mile; Buck, Sugar, White Oak, & Hickory. Under 1/2
Land 2nd rate; on the 2nd rate; Timber Buckeye, Elm, Oak
Hickory, & Elm, My Sweet Buck, & Persimmon. Good bottom land

West On the true line between Sep. 16. & 21. T. N^o 14. N.R. N^o 277
40.08 Set the temporary at the aver. dist on the true line for the cor. to 1/4 sec.

T. N^o 14. N.R. N^o 277. 2nd Mer. (Ind.)

from which =

Gycamno 30 in. diam. bears N 84 $\frac{1}{2}$ E. 28 miles dist; toBuckeye 12 " " " S 45 $\frac{1}{2}$ W. 25 " "

80.16 To the post cor. to Sep. 16. 17. 20. & 21.

North Between Sep. 16 & 17. T. N^o 14. N.R. N^o 277.

21.88 To a Wild Cherry 7 in. diam. stands in the line

38.15 To a Birch 20 miles midy, course S.E.

40.00 Set a post for the cor. to 1/4 sec. from which =

Gycamno 36 in. diam. bears N 12 E. 45 miles dist; to

B Marmot 30 " " " S 20 E. 65 " "

62.00 To a Sugar 8 in. diam. stands in the line

80.00 Set a post for the cor. of Sep. 8. 9. 16. & 17 from which =

Buck 8 in. diam. bears N 70 $\frac{1}{2}$ E. 5 miles dist; toElm 14 " " " S 80 $\frac{3}{4}$ E. 28 " "Lands nothing under 2nd row; at bottom 20 ch. wide, in the middle of this line. Timber Buck, Sugar, Hickory B Marmot & (N) SpruceEast On a Random line between Sep. 9 & 16. T. N^o 14. N.R. N^o 277.

31.50 Entered a bottom

33.25 To a Birch 12 miles midy, course S.E.

40.00 Set a temporary post for the cor. of 1/4 sec.

80.00 Enter onto the N & S line 10 miles South of the post cor. to Sep. 9. 10. 15 & 16. Land 2nd row. Timber Buck, Sugar W. Oak & (N) Spruce.West On the true line between Sep. 9 & 16. T. N^o 14. N.R. N^o 277.

40.06 1/2 Set the temporary post at the aver. dist on the true line for the cor. to 1/4 sec. from which =

Buck 8 in. diam. bears S 82 W. 12 miles dist; and =

Sugar 7 " " " S 7 $\frac{1}{2}$ E 18 " "

80.13 To the post cor. of Sep. 8. 9. 16 & 17

North Between Sec. 8 & 9 I. N^o 14. N.R. N^o 277.
 28.61 To a Buckeye 6 in. dia. Stands in the line
 35.50 To a Brook 20 links wide, Course S.E.
 36.25 To the same Brook 20 " " " S.W.
 39.00 " " " " 20 " " " S.E.
 40.00 Set a post for the cor. of $\frac{1}{4}$ sec. from which a
 Hackberry 10 in. dia. bears N 4 $\frac{1}{2}$ W. 24 links dist; to
 " 20 " " " N 7 $\frac{1}{4}$ E. 29 " "
 42.75 To the above brook Course S.W.
 44.00 " " " " " S.E.
 53.39 To a W. Oak. 30 in. dia. Stands in the line
 80.00 Set a post for the cor. of sec. 4, 5, 8 & 9 from which a
 Buckeye 9 in. dia. bears S E. 10 links dist; and a
 Buck 11 " " " N 40 W. 27 " "
 Land rolling under 2nd rate; Timber Buck, Sugar, W. Oak
 & Hickory. U.S. Spruce.

East On a Random line between Sec. 4 & 9 I. N^o 14. N.R. N^o 277.
 40.00 Set a temporary post for the cor. of $\frac{1}{4}$ sec.
 80.00 Intersected the N.S. line 9 links South of the post cor. of
 Sec. 3, 4, 9 & 10 Land rolling 2nd rate; Timber Buck,
 Sugar, W. Oak. & Hickory

West On the true line between Sec. 4 & 9 I. N^o 14. N.R. N^o 277
 40.07 Set the temporary post at the aver. dist on the true line
 for the cor. to $\frac{1}{4}$ sec. from which a
 W. Oak 30 in. dia. bears N 25 E. 9 links dist; and a
 Buck 10 " " " S 42 $\frac{1}{2}$ W. 3 " "
 80.14 To the post cor. of sec. 4, 5, 8, & 9.

North Between Sec. 4 & 5. I. N^o 14. N.R. N^o 277.
 27.07 To an Ironwood 3 in. dia. Stands in the line
 40.00 Set a post for the cor. of $\frac{1}{4}$ sec. from which a

T. N^o 14. N. R. N^o 277. 2nd Mer. Sec.

Engin 14 in. dia. beam N 78° W. 21 links dist; & a
 Buck 7 " " " S 35° E. 19 " "
 62.15 To a W Oak 36 in. dia. Stand in the line
 78.25 Intersected the N. B. road 80 links East of the first
 cor. to sec. 32 & 33. T. N^o 15 N. R. N^o 277. and set a
 post for the cor. of sec. 4 & 5 from which a
 Buck 16 in. dia. beam East 23 links dist; and a
 Co. 15 " " " N 39° W 34 " "
 Land rolling & 2nd rate; Timber Buck, Sugar Hick
 W Oak, & Poplar, W. Spruce.

North Return Sec. 31 & 32 T. N^o 14 N. R. 277
 20.50 To an Elm 36 in. dia. Stand in the line
 40.00 Set a post for the cor. of 74 sec. from which a
 Buck 13 in. dia. beam N 30° W. 23 links dist &
 Co 13 " " " N 47° E. 39 " "
 58.55 Engin 24 in. dia. Stand in the line.
 80.00 Set a post for the cor. of sec. 29, 30, 31 & 32 from which a
 W Oak 13 in. dia. beam N 54° W. 20 links dist; &
 Hickory 3 " " " S 23° E. 16 " "
 Land level & 2nd rate; Timber Buck, Sugar, Hickory
 Spruce, Oak & Elm, W. W. Buck, & Spruce.

East On a Random line between Sec. 29 & 32 T. N^o 14 N. R. 277
 35.25 To a Brook, 40 links wide, Course S. E.
 40.00 Set a temporary post for cor. to 74 sec.
 80.00 Intersect the N. B. S. line 12 links N. of the post cor. of
 sec. 28, 29, 32 & 33 Timber Buck, Sugar, Hick
 Ash, &c. W. Spruce.

West On the true line between Sec. 29 & 32 T. N^o 14 N. R. 277.
 40.00 Set the temporary post at the corner dist on the true line
 for the cor. to the 74 sec. from which a w.

77

T. N. 14. N. R. N. 2 W. 2nd Mer. (Ind. c.)

Elm 20 in. diam. bears N 13 1/2 W. 19 links dist; to
 N. Buck 4 " " S 75 1/4 W. 4 " "
 80.00 To the post cor. of Sec. 29. 30. 31. 132

West Between Sec. 30. & 31. T. N. 14. N. R. N. 2 W.
 40.00 Set a post for the cor. 1/4 sec. from which a
 Buck 10 in. diam. bears N 17 1/2 W. 16 links dist; to
 Ironwoods 9 " " " S 62 1/2 E. 8 " "
 50.81 To a Buck 15 in. diam. stands in the line.
 1/5.00 Intersected the N & S Range line. at post cor. of Sec.
 25 & 36. T. N. 14. N. R. N. 3 W.
 Land goods 2nd rate. Timber Buck, Hickory, Ash, Sugar

North Between Sec. 29. & 30. T. N. 14. N. R. N. 2 W.
 24.00 To a W. Oak 18 in. diam. stands in the line
 34.60 To a stream 40 links wide, Course S. E.
 40.00 Set a post for the cor. of 1/4 sec. from which a
 Buckeye 12 in. diam. bears N 20 1/2 E. 22 links dist; to
 Hackberry 7 " " " S 53 1/4 W. 19 " "
 41.25 To a Brook 40 links wide, Course S. W.
 72.00 " " " 40 " " " S. E.
 75.00 " " " 40 " " " S. W.
 80.00 Set a post for the cor. of sec. 19. 20. 29. & 30 from which a
 Spruce 10 in. diam. bears S 80 W. 19 links dist; and a
 Buck 6 " " " N 57 1/2 E. 40 " "
 Land goods 2nd rate; Timber Buck, Hickory, Ash, Spruce
 & Undergrowth Spruce.

East On a Main line between Sec. 20. & 29. T. N. 14. N. R. 2 W.
 40.00 Set a post for the cor. of 1/4 sec.
 80.00 Intersect the N. & S line 17 links N of the post cor. of Sec.
 20. 21. 28 & 29. Land rolling and 2nd rate. Timber
 Hickory, Ash, Buck, & Red Oak M. & Spruce.

T. N. 14. N.R. N. 27. 2nd Mer. (Ind. 10)

West	On the true line between Sec. 20 & 29 T. 14. N.R. 27.
40.00	Set the temporary post at the corner east on the true line further cor. to $\frac{1}{4}$ sec. from which a Buck 18 in. diam. bears N 57 E. 4 links dist; and a Do 24 " " " N 46 $\frac{1}{2}$ W. 25 " "
80.00	Set the post cor. of sec. 19, 20, 29 & 30.
West	Between Sec. 19 & 30 T. N. 14. N.R. N. 27.
3.25	Set a Buck 40 links wide, corner S.E.
24.80	Set a Buck 6 in. diam. stands in the line
40.00	Set a post for the cor. of $\frac{1}{4}$ sec. from which a Ash 24 in. diam. bears S 62 W. 16 links dist; and a Do. 15 " " " S 59 $\frac{1}{2}$ E. 19 " "
64.58	Set a Buck 8 in. diam. stands in the line.
75.00	Intersected the N. 13 Range line at the post cor. of sec. 24 & 25. T. N. 14. N.R. N. 37. Sand & Gravel 2 nd rate; Timber Hickory, ash, Buck, & elm Oak, Myrtle, & Elmwood
North	Between Sec. 19 & 20. T. N. 14. N.R. N. 27.
38.25	Set a Buck 10 in. diam. stands in the line
40.00	Set a post for the cor. to the $\frac{1}{4}$ sec. from which a Buck 8 in. diam. bears N. 9 $\frac{1}{2}$ W. 25 links dist; and a Do. 6 " " " S 76 W. 16 " "
80.00	Set a post for the cor. of sec. 17, 18, 19 & 20. from which a Buck 8 in. diam. bears S 43 E. 11 links dist; and a Do. 15 " " " N 76 W. 19 " "
	Sand & Gravel 2 nd rate; Timber Buck, Hickory, Ash, Elm &c. Myrtle, & Maple.
East	On a Random line between Sec. 17 & 20. T. N. 14. N.R. 27.
40.00	Set a temporary post for the cor. to $\frac{1}{4}$ sec.
80.00	Intersected the N. 13 line 15 links S of post cor. of sec.

16. 17. 20 & 21. Land rolling and 2nd rate; Timber Beech Hickory and Ash; N. 9 Destroyed by fire

West On the true line between Sec. 17. & 20. T. N. 14. N. R. N. 2 W.
40.00 Set a ~~the~~ temporary post at the aver. dist. on the true line for the cor. of $\frac{1}{4}$ sec. from which
Buck 18 in. diam? bears N 35 $\frac{1}{2}$ E. 14 links dist; to
Oak 24 " " " S 45 $\frac{1}{2}$ W. 11 " "
80.00 To the post cor. of sec. 17. 18. 19. & 20.

West Between Sec. 18. & 19. T. N. 14. N. R. N. 2 W.
12.75 To a Birch 12 links wide, Course S. E.
28.60 " " " 12 " " " S. W.
31.10 To a Sugar 18 in. diam? Stands in the line.
40.00 Set a post for the cor. of $\frac{1}{4}$ sec. from which
Buck 10 in. diam? bears N 77 $\frac{1}{2}$ W. 3 links dist; and a
Oak 6 " " " N 62 E. 18 " "
60.50 To a Birch 25 links wide, Course S. E.
70.00 To a Poplar 30 in. diam? Stands in the line.
75.00 Intersect the N. & S. line at the post cor. of sec. 13. & 24
T. N. 14. N. R. N. 3 W. Land rolling and good 2nd rate.
Timber Beech, Sugar, Ash, W. Oak Hickory & N. 9 Spruce.

North Between Sec. 17. & 18 T. N. 14. N. R. N. 2 W.
20.30 To a Buck, 12 in. diam? Stands in the line
40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Buck. 8 in. diam? bears N. 12 $\frac{1}{2}$ E. 25 links dist; and a
Oak 6 " " " N 71 W. 12 " "
75.64 To a Hickory 20 in. diam? Stands in the line.
80.00 Set a post for the cor. to sec. 17. 18. 17. & 18 from which
Buck. 12 in. diam? bears N 44 $\frac{1}{2}$ E. 20 links dist; to
Oak 10 " " " S 44 $\frac{1}{2}$ W. 6 " "
Land rolling and good 2nd rate; Timber 7 Buck, Sugar

T. N^o 14. N.R. N^o 27. 2nd Mer. Sec^o.Ash, Poplar & Hick^y; W. Spruce.

East	On a Random line between Sec ^s 8 & 17 T. N ^o 14. N.R. N ^o 27.
28.64	To a small brook comes S.E.
40.00	Set a temporary post for the cor. of $\frac{1}{4}$ sec.
65.35	To a Brook 6 links wide, comes S.E.
80.00	Intersect the N & S line 15 links N. of the post cor. of Sec ^s 8, 9, 16, & 17. Sand rolling and good 2 nd rate Timber Beech, Ash, Sugar, Hick ^y & W. Spruce & logwood
West	On the true line between Sec ^s 8 & 17 T. N ^o 14. N.R. N ^o 27.
40.00	Set the temporary post at the aver. dist. in the true line for the cor. to $\frac{1}{4}$ sec. from which Sugar. 12 in. diam. bears S 77 E. 17 links dist; and do 12 " " " N 15 W. 14 " "
80.00	To the post cor. of Sec ^s 7, 8, 17, & 18.
West	Between Sec ^s 7 & 18 T. N ^o 14. N.R. N ^o 27.
18.00	To a Beech, 5 in. diam. stands in the line.
40.00	Set a post for the cor. to $\frac{1}{4}$ sec. from which N. Ash. 8 in. diam. bears S 6 E. 8 links dist; and Beech 10 " " " N 73 W. 33 " "
48.00	To a Brook 12 links wide, comes S.E.
75.00	Intersect the N & S line 60 links South of the post cor. of Sec ^s 12 & 13. T. N ^o 14. N.R. N ^o 37. and set a post for the cor. of Sec ^s 7 & 18. from which Beech 4 in. diam. bears N 6 W. 8 links dist; and do 24 " " " N 57 E. 15 " " "
	Sand rolling and good 2 nd rate; Timber Poplar, Beech Ash, & Elm. W. Spruce.
North	Between Sec ^s 7 & 8 T. N ^o 14. N.R. N ^o 27.
28.80	To a Beech 24 in. diam. stands in the line.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Buck 20 in. diam. bears S 14 E 31 miles dist; and a
Sugar 10 " " S 67 1/2 W 12 " "

50.50 To a Brook 12 miles wide, corner S.E.

65.60 To a Buck 30 in. diam. stands in the line.

80.00 Set a post for the cor. to sec. 5, 6, 7 & 8. from which a
Buck 10 in. diam. bears S 87 1/2 W 4 miles dist; and a
Oak 10 " " N 57 1/2 W 20 " "

Land rolling & good 2nd rate; Ash, Buck, Poplar
Hickory and Oak to.

East On a Random line between Sec. 5 & 8 I. N^o 14. N.R. N^o 27.

40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.

59.75 To a Brook 12 miles wide, corner S.E.

65.00 " " 15 " " " S.E.

80.00 Intersect the S.E. line at the post cor. of sec. 4, 5, 8 & 9
Land rolling and good 2nd rate; Sugar, Buck,
Sugar, Oak, Ash, Hickory, and Spruce.

West On the true line between Sec. 5 & 8 I. N^o 14. N.R. N^o 27.

40.00 Set the temporary post at the avr. dist on the true line for
cor. to $\frac{1}{4}$ sec. from which a

Buck 10 in. diam. bears N 78 1/2 W 24 miles dist; and

Oak 15 " " S 57 E 22 " "

80.00 To the post cor. of sec. 5, 6, 7 & 8.

West Between Sec. 6 & 7 I. N^o 14. N.R. N^o 27.

19.00 To a Brook 10 miles wide, corner S.E.

34.80 " " Sugar 15 in. diam. stands in the line.

40.00 Set a post for the cor. of sec. 4 from which a

Buck 10 in. diam. bears N 43 1/2 E 25 miles dist; and

Oak 8 " " S 11 W 30 " "

56.78 To a Buck 8 in. diam. stands in the line.

T. N. 14. N. R. N. 27. 2nd Mer. Ind.

75.00 Intersect the N. 1/2 line at the post. cor. of Sec. 1. & 1/2 T. N. 14 N. R. N. 27.
 Lands rolling and good 2nd rate; Timber 1 Beech, Poplar, Ash, Sugar, &c.

North Between Sec. 5. & 6. T. N. 14. N. R. N. 27.

26.93 To a Beech, 12 in. diam. stands in the line.

40.00 Set a post for the cor. of 1/4 Sec. from where a
 Beech 12 in. diam. bears N 28 E. 26 links due; and a
 Co. 8 " " " N 87 N. 6 " "

41.00 To a Beech 8 links wide, Course S. E.

63.25 " " " 10 " " " S. E.

71.80 To a Beech, 6 in. diam. stands in the line.

78.37 Intersect. the N. Boundary 100 Yds East of the post cor. of
 Sec. 31. & 32 T. N. 15. N. R. N. 27. and set a post for the
 cor. of Sec. 5. & 6. from where a

Sugar 12 in. diam. bears N 75 E. 3 links due; & a

Beech 4 " " " N 82 N. 8 " "

Lands rolling and good 2nd rate; Timber, Poplar, Ash,
 Beech, Sugar, Hickory, &c. All destroyed by fire

Surveyed by

Allen Wright D.S.

I certify that the Transcript of the foregoing
 field notes of Township N. 14. North of Range N. 2 West,
 2nd Mer. Ind. has been compared with the original
 notes in this Office and found to be correct.

Surveyor General's Office,

Cincinnati, Dec. 5th 1840.

E. P. Cairnes

Sur. Genl.